




Design data			
Description of parameter	Normal pressure		
	Vessel	Jacket	
Working pressure	bar	1.5	3
Design pressure	bar	1.5	3
Level tesing pressure	bar	3	4
Medium		Beer	Glycol
Material		SUS 304	SUS 304
Working temperature	°C	-10 to +40°C	
Design temperature	°C	-10 to +40°C	
Gross volume	BBL	18	
Net volume	BBL	15	
Heat exchanger area	m ²	3.7	
Insulation material		PU	
Insulation thickness	mm	80	
Dry Weight	KGS		



CONNECTIONS				
MARK	DN	DESCRIPTION	CONNECT SIZE	REMARKS
A	2"	PVRV FERRULE	ø50.8x1.5	ISO
B	3"	PORT	ø76.2x1.5	ISO
C	1.5"	CIP APM FERRULE	ø38.1x1.5	ISO
D	1/2"	TEMPERATURE CONN	1/2"	NPT
E	1.5"	CO2 INLET	ø38.1x1.5	ISO
F	1.5"	TEM-GAGE	ø38.1x1.5	ISO
G	1.5"	SAMPLE FERRULE	ø38.1x1.5	ISO
H	1.5"	DIAIN ARM COUPLING	ø38.1x1.5	ISO
I	3/4"	DIAIN ARM COUPLING	ø19.05x1.5	ISO
J	2"	OUTLET	ø50.8x1.5	ISO
R	21"x17"	MANWAY	530x430	ISO
l	3/4"	COOLING OUTLET	3/4"	NPT
m	3/4"	COOLING INLET	3/4"	NPT

		11/17/2019
		15BBL Blending Mixing Tank